

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	anonymous\$3 same (gateway with protocol RLP SNMP IMGP) and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 11:04
L3	17686	(370/401 370/254 370/351 370/389 709/225 709/228 709/229 709/238 709/244 709/245).ocls. and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 11:29
L4	123	L3 and advertis\$4 same ("real-time" real near time realtime) and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 11:30
S2	4	(ayman near2 nassar).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/04 12:49
S3	16264	(370/401 370/389 709/225 709/228 709/229 709/238 709/244 709/245).ocls. and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/04 13:15
S4	2	"7346771" and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/04 13:21
S8	8	(service with provider) and ((transmi\$5 receiv\$3) with requests) and anonymous\$3 with advertis\$4 and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/04 13:30

S9	6	anonymous\$3 with advertis\$4 same ("real- time" real near time realtime) and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/04 13:33
S11	26	anonymous\$3 with ("real- time" real near time realtime) with service\$1 and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/04 13:35
S14	6	(second near network) and ((transmi\$5 receiv\$3) with request\$1 )and anonymous\$3 and advertis \$4 same ("real-time" real near time realtime) and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/04 14:36
S15	2	anonymous\$3 with ("real- time" real near time realtime) with advertis\$4 and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/04 14:43
S17	2	anonymous\$3 with ( rout \$3 ) same advertis\$4 and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 07:51
S18	2	((rout\$) with (anonymous \$3) anonymous\$3 with ( rout \$3 ) ) same advertis \$4 and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 07:53
S19	185	anonymous\$3 with ( rout \$3 ) and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 07:53
S20	25	anonymous\$3 with ( rout \$3 ) same availab\$5 and @ad< "20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 07:54

S21	20	( anonymous\$3 with ( rout \$3 ) ).ab. and @ad<"20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 07:59
S23	13	( anonymous\$3 with ( router )) and @ad<"20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 08:06
S26	1	anonymous\$3 with (gateway with protocol RIP SNMP IGMP) and @ad<"20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 08:16
S27	3	anonymous\$3 with (gateway with protocol RIP SNMP IGMP) and @ad<"20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 08:16
S28	3	anonymous\$3 with (gateway with protocol MIB RIP SNMP IGMP) and @ad<"20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 08:31
S29	41	anonymous\$3 with (database) with network \$3 and @ad<"20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 08:31
S30	2	"5960004".pn. and @ad<"20030225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 11:07

11/ 6/ 2008 11:35:07 AM

C:\Documents and Settings\Isweet\My Documents\EAST\Workspaces  
\10785233RCEfirstnonfinal.wsp